Anesthesia Facts from a Gas Passer

Christopher J Rohan MD VA White River Junction Vermont






• Started with drugs that were simple



Alcohol
Opium
Hemlock
Coca
Chloroform











Alcohol

- Acute Central Nervous System Depressant
- Increases bleeding
- Complicates anesthesia
- Delayed recovery
- Immune suppressant







Hemlock

- Added to Opium as a paste to euthanize people
- Poisonous causes motor paralysis
- **<u>Dwale</u>** a drink with hemlock opium alcohol and vinegar

Opium Poppy

- Self pollinating annual plant
- Addicting, Sleep Inducing, Pain killer, Enhanced Mood
- Derivatives
- Heroin
- Morphine
- Codeine




Chloroform

- Can be made at home with alcohol/acetone and bleach
- Famously used in movies to knock people out with a rag on their face
- Queen Victoria used it to give birth to her son Prince Leopold 1853
- Used in many industrial processes today



Ether

- Diethyl Ether 1840
- Sevoflurane is an Ether Derivative
- Colorless, Highly Volatile and Flammable, Sweet Smelling
- Starting Fluid for engines
- First Used in Dental Surgeries
- Makes patients very nauseous







Ether Dome Boston Massachusetts

Demonstrated its use as an anesthetic

Replaced Chloroform because it was safer

Higher Therapuetic Index

Bigger difference btwn effective and toxic dose



Nitrous Oxide

- 1850
- Inhaled



Inhalation Agents

- Absorbed into the blood from the lungs
- Cross the blood brain barrier
- Most Common is Sevoflurane
- Desflurane has a significant green house gas effect





Local Regional General Sedation





Local
 Anesthetic
 injected into
 the tissue to
 numb up a
 specific area

Lidocaine

Bupivicaine






Local

- Early placement of local
- Decreases post operative pain
- Decreases the amount of total intravenous and inhaled anesthesia for the particular surgery
- Positive effects of decrease anesthesia are many
 - Less nausea
 - Less confusion
 - Less adverse drug effects



Appendectomy

- Local in trocar sites
- Local within the abdomen
- Local in the incisions at the end of case





Regional Anesthesia

- Nerve Blocks
- Tap Blocks
- Ultrasound Guided
- Post Op Pain Control
- Primary Anesthetic



General

- Volatile Agents
- Sevoflurane

TIVA (Total IntraVenous Anesthesia)



Fentanyl

- Synthetic Opioid
- Cheap
- 100 times more potent than Morphine
- Lipophilic , fat soluble
- Enters brain quickly



Propofol

The Michael Jackson Drug
Short acting
No significant side effects



Rocuronium

- Paralytic
- Short acting
- Easily reversed



Thank You

- Enjoy your day
- Go Boston Celtics

